



hollowick.com

Pages 5 - 10 Lamp Fuel

Pages 11 - 54 Lamps and Holders

Pages 55 - 58 Solid Wax Candles

Pages 59 - 66 Chafing Fuel

Pages 67 - 68 Butane Fuel and Accessories

Pages 69 - 76 Flameless Lighting

Pages 77 - 81 Index

What's New from Hollowick



Gear™ & Weld™ Base
pg. 47



Cauldron™ Votive
pg. 28



Luxor™ Lamps
pg. 45



Data™ Lamps
pg. 32



Glacier™ Lamps
pg. 30



Horizon™ Cylinder Bases
pg. 41



**Denmark Candlestick™
Bases pg. 41**



Firefly™ Handles
pg. 19

What's New from Hollowick



Vogue™ Bases
pg. 49



Bertrand™ Base
pg. 47



Candy Apple™ Votive
pg. 29



Mini Honey Onyx
pg. 37



Nexis™ Rechargeable System pg. 70-71




Improved Platinum+ Rechargeable System pg. 72-73



V12 Rechargeable System pg. 74



Improved LED Pillars pg. 76



New Disposable Liquid Wax Fuel Cells pg. 6



9,000 BTU Butane Stove
pg. 68



ReadyHeat Wick Chafing Fuel pg. 63



Green Ethanol Gel Chafing Fuel pg. 65

Hollowick's Commitment to Excellence

Hollowick offers superior performance tabletop lighting and cooking products that are built for the rigors of commercial/food service. We are committed to helping you create an ambiance and presentation that keeps your guests coming back again and again.

We take great pride in our innovations. Many of the most significant advancements in table lighting and cooking fuel products were born at Hollowick including: the refillable liquid candle systems, disposable liquid candle fuel cells, highlight fuel cells, tealight and votive sized fuel cells and adjustable wick chafing fuel.



Providing World Class Customer Service

The Hollowick customer service team is dedicated to providing the best possible service experience. When you call Hollowick, you will always reach a live friendly voice eager to help. In addition, we are fortunate to have the most experienced and professional sales representation in our industry.

We stock what we sell and typically ship 24-48 hours within receipt of an order from one of our authorized Hollowick distributors.

We are committed to providing you with the best service and professionalism in meeting your tabletop and banqueting needs.



Hollowick's honest and forthright approach to business carries directly over to our **Green Initiative**. With the adoption of a set of **Green Commitment** guidelines, Hollowick has pledged to operate all aspects of business in an environmentally responsible manner. Some significant achievements related to our Green Initiative include: reducing energy consumption, building more environmentally responsible products and generating less waste. For more information please visit Hollowick.com.

Serving The Food Service Industry Since 1971

At Hollowick, our commitment to providing the best products and service to the foodservice trade has remained steadfast since our founding. Hollowick has had the good fortune of employing some of the hardest working and most dedicated individuals in the industry. Our caring employees have always been the cornerstones of our success and as we approach a half-century in business, we take this opportunity to honor and thank the whole team.

To all of our supporters over the years, we also thank you. We look forward to keeping your tables lit and your food warm for many years to come.



P.O. Box 305, Manlius, New York 13104, USA
(315) 682-2163 (800) 367-3015
Fax: (315) 682-6948
e-mail: info@hollowick.com



www.hollowick.com



Like our page on Facebook



Follow us on Twitter



Hollowick's Disposable Liquid Wax Fuel Cells

Clean Candlelight Without Candle Mess

The best liquid wax lamp fuel available - burns cleaner than solid wax candles. Non-staining, and no melted wax mess.

Using Hollowick disposable fuel cells is the most convenient way to operate your lamps and is preferred by most users today. Save labor by simply replacing the empty fuel cells with new ones. No other maintenance or adjustments necessary. All Hollowick lamps can be used with our disposable fuel cells. Sold by the case.

Safety First

The Hollowick system is approved by most major fire departments for use in restaurants. Our lamp fuel is classified as non-flammable. It is in the same non-flammable category as vegetable oil (NFPA Class IIIB combustible liquid). D.O.T. regulations rate it non-hazardous. It is safe to use on the tabletop and there are no shipping restrictions, storage limitations or insurance worries.

Our lamps are not intended to be used with kerosene or most common lamp oils, which are not suitable for liquid candles and tabletop use.

Hollowick Disposable Lamp Fuel

MADE IN THE
USA

PLEASE CONTACT
YOUR HOLLOWICK
DISTRIBUTOR FOR
PRICING.

					
	8 hour cell		10 hour cell	12 hour cell	
Item No.	HD8-180	HD8-90	HD10*	HD12-144	HD12-72
Description	8 Hour Liquid Tealight™ Fuel Cell		10 Hour Liquid Wax Fuel Cell	12 Hour Liquid Votive™ Fuel Cell	
Cells Per Case	180/cs	90/cs	144/cs	144/cs	72/cs
Cases Per Pallet	105	180	77	54	135
Case Weight Each	10.1#	5.3#	11.3#	11.7#	6.0#
Dimensions	in: 1 $\frac{3}{8}$ H x 1 $\frac{1}{2}$ Dia. mm: 30H x 38Dia.		in: 1 $\frac{11}{16}$ H x 1 $\frac{23}{32}$ Dia. mm: 43H x 44Dia.	in: 1 $\frac{3}{8}$ H x 2Dia. mm: 30H x 51Dia.	

				
	15 hour cell	17 hour cell	26 hour cell	30 hour cell
Item No.	HD15	HD17*	HD26*	HD26-72*
Description	15 Hour Liquid Votive™ Fuel Cell	17 Hour Liquid Wax Fuel Cell	26 Hour Liquid Wax Fuel Cell	
Cells Per Case	96/cs	48/cs	60/cs	72/cs
Cases Per Pallet	105	112	84	70
Case Weight Each	9.1#	7.4#	9.4#	11.3#
Dimensions	in: 1 $\frac{1}{2}$ H x 1 $\frac{1}{4}$ Dia. mm: 44H x 44Dia.	in: 2 $\frac{1}{4}$ H x 2Dia. mm: 57H x 51Dia.	in: 2 $\frac{1}{4}$ H x 2Dia. mm: 57H x 51Dia.	


				
	36 hour cell	36 hour cell	42 hour cell	50 hour cell
Item No.	HD36*	HD36+SN*	HD42*	HD50*
Description	36 Hour Liquid Wax Fuel Cell	36 Hour Liquid Wax Fuel Cell with Snuffer	42 Hour Liquid Wax Fuel Cell	50 Hour Liquid Wax Fuel Cell
Cells Per Case	24/cs	48/cs	36/cs	48/cs
Cases Per Pallet	120	50	90	50
Case Weight Each	6.7#	14.3#	11.6#	18.1#
Dimensions	in: 2 $\frac{3}{8}$ H x 2 $\frac{3}{8}$ Dia. mm: 66H x 67Dia.		in: 3 $\frac{1}{8}$ H x 2 $\frac{3}{8}$ Dia. mm: 79H x 60Dia.	in: 3 $\frac{3}{8}$ H x 2 $\frac{3}{8}$ Dia. mm: 84H x 60Dia.

High Light Fuel Cells


PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING.

Need More Light?

Try our “High Light” disposable fuel cell option. 3 times the light of our standard fuel cells. Great for use with shaded lamps or wherever you’d like more light.




MADE IN THE
USA



	18 Hour High Light cell	22 Hour High Light cell	26 Hour High Light cell
Item No.	HD2618-HL*	HD3622-HL*	HD4226-HL*
Description	18 Hour Liquid Wax Fuel Cell with “HIGH LIGHT”	22 Hour Liquid Wax Fuel Cell with “HIGH LIGHT”	26 Hour Liquid Wax Fuel Cell with “HIGH LIGHT”
Cells Per Case	60/cs	24/cs	36/cs
Cases Per Pallet	84	120	90
Case Weight Each	9.4#	6.7#	11.7#
Dimensions	in: 2¼ H x 2 Dia. mm: 57H x 51Dia.	in: 2¾ H x 2¾ Dia. mm: 66H x 67Dia.	in: 3½ H x 2¾ Dia. mm: 79H x 60Dia.

Legacy Fuel Cell Replacements



	18 hour cell	37 hour cell	29 hour cell
Item No.	HD18*	HD18-72*	HD37*
Description	18 Hour Liquid Wax Fuel Cell Square Bottom	37 Hour Liquid Wax Fuel Cell Square Bottom	29 Hour Liquid Wax Fuel Cell
Cells Per Case	48/cs	72/cs	36/cs
Cases Per Pallet	96	70	90
Case Weight Each	7.2#	10.9#	10.0#
Dimensions	in: 2¼ H x 2 Dia. mm: 64H x 51Dia.	in: 3½ H x 2¾ Dia. mm: 81H x 62Dia.	in: 5½ H x 1¾ Dia. mm: 149H x 37Dia.

*Intended only for Commercial Foodservice use

hollowick.com

Hollowick Lamp Fuel Shelf Packs



PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING.

Designed especially for Cash & Carry Operations

- Hollowick's most popular sized fuel cells
- Attractive, shelf-friendly packaging with bilingual copy
- Convenient pack sizes
- UPC bar codes for easy checkout



Shelf Packs

Item No.	HD8-24M	HD17-12M*
Description	8 Hour Liquid Tealight™ Fuel Cell Shelf Pack	17 Hour Liquid Wax Fuel Cell Shelf Pack
Cells Per Case	24/pk - 12 pk per case	12/pk - 12 pk per case
Cases Per Pallet	64	40
Case Weight Each	17.6#	23.4#
Fuel Cell Dimensions	in: 1 $\frac{3}{16}$ H x 1 $\frac{1}{2}$ Dia. mm: 30H x 38Dia.	in: 2 $\frac{1}{4}$ H x 2 Dia. mm: 57H x 51Dia.

*Intended only for Commercial Foodservice use

Hollowick Lamp Fuel Cross Reference

Hollowick	Sterno Products	Dine-Aglow	Leo Light
HD8	30500 (replaces 30100*)	DF8	708
HD10	30502 (replaces 30102*)	DF10	710
HD12	N/A	DF15	712W
HD12TALL	30104*	N/A	712T
HD15	30506 (replaces 30106*)	N/A	715
HD17	30510 (replaces 30110*)	DF24	720
HD18	30508 (replaces 30108*)	DF820	720
HD26	30510 (replaces 30110*)	DF24	725
HD29	30114*	DF255	730T
HD30	30512 (replaces 30116*)	N/A	730W
HD36	N/A	N/A	N/A
HD37	30514 (replaces 30118*)	DF837	735
HD42	N/A	DF310	740
HD50	30516 (replaces 30122*)	DF205	750


Above table lists the best comparable fuel cell based on lamp fit.

*Discontinued item

Retail Fuel Cells



These Disposable Fuel Cells meet U.S.A. Federal Requirements for Consumer Sale. Special labeling and child resistant closures required.



Retail Fuel Cells - With Child Resistant Cap

Item No.	HD17LWC-48	HD23LWC-24▼
Description	17 Hour Liquid Wax Fuel Cell with Child Resistant Cap	23 Hour Liquid Wax Fuel Cell "High Light" with Child Resistant Cap
Cells Per Case	48/cs	24/cs
Cases Per Pallet	112	120
Case Weight Each	7.8#	7.0#
Dimensions	in: 2½ H x 2 Dia. mm: 57H x 51Dia.	in: 2½ H x 2½ Dia. mm: 66H x 67Dia.

▼High Light option: For photos comparing light output see page 7.

Hollowick Refillable Fuel

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING.

Packaged in Bulk for
Refillable Lamps
(Approx. 7 Hrs.
Burning Time
Per Oz. of Fuel
with ¾" Flame).
Pump sold
separately.



(Includes Snuffer, Cap, Stem,
Hex Nut, Wick)

	Refillable Lamp Fuel		Pump	Replacement Parts		Butane Lighter	
Item No.	HFO-QT	HFO-GAL	902.5	963+SN	993+SN	BL30C-12	BL30C-120
Description	1 Case of Quarts (.946 Liter ea.)	1 Gallon (37.85 mL)	Pump for HFO-GAL & HFO-2.5	3" Burner Assembly with Snuffer and Permanent Wick	6" Burner Assembly with Snuffer and Permanent Wick	Butane Lighter	
Dimensions						in: 11½ L x 2¾ H mm: 292L x 70H	
Units Per Case	12	4	1	1	1	12/cs	120/cs
Cases Per Pallet	60	36					
Case Weight Each	23.8#	29.3#	1#			2.82#	26#



Fuel Cells and Lamps Sold Separately



Gala™ Fuel Cell Covers

Now you can dress up your Hollowick fuel cells and create a sleek, modern lighting element. Hollowick's Gala™ Fuel Cell Covers elegantly transform disposable fuel cells into clean, sculptured candle forms. Live flame never looked more stylish.

- Gala™ covers fit Hollowick HD17, HD26, HD36 and HD50 disposable liquid wax fuel cells
- Made of high quality steel
- Available in two finishes: Polished Chrome & White
- Will fit several Hollowick lamp styles

Large Gala™ Covers

High Quality Steel

Cell Cover: 2"H x 2½"Dia. (.15#)

Recommended Lamps:

Aurora™ Frame
Flip™
Cocktail II™
Deco-Ring™
Large Glass Cylinders
Vogue™ Lamps



HD50



HD36



C-36/50PC
Polished Chrome



C-36/50W
White

Mid-Size Gala™ Covers

High Quality Steel

Cell Cover: 1½"H x 2½"Dia. (.09#)

Recommended Lamps:

Mini Glass Cylinders
Cirque™
Flip™
Rondo™



HD26



HD17



C-17/26PC
Polished Chrome



C-17/26W
White



Tealight and Votive

Small and compact tealight and votive lamps add subtle touches of ambiance where needed.

These lamps are ideal where lighting space is at a premium. Or, if desired, multiple lamps can be used to create impressive lighting patterns throughout the room.

These lamps typically use HD8 Liquid Tealights™, HD12 or HD15 Liquid Votives™.



Midsized Lamps

Midsized lamps are larger than tealight and votive lamps, yet are still appropriate in many instances where space is a concern, providing a pleasing accent where needed.

Midsized lamps only require 1-2 fuel changes a week.

These lamps typically use HD17 or HD26 fuel cells.



Full Size Lamps

When appropriate table space is available, larger lamps can provide the most drama to the tabletop while establishing points of intimacy throughout the dining room.



Larger lamps are very cost effective, often requiring a fuel change only once a week, or possibly less!

These lamps typically use HD36 or larger fuel cells.

Foodservice Equipment Standards

Hollowick lamps are specifically designed to meet the demanding needs of the foodservice tabletop. They require little maintenance and provide years of intimate table lighting. A reflection of your high quality standards.

Hollowick Lamp Sizes and Page Reference





20
Crystal
& Satin
Tealights



20
Faceted
Cubes
Votives



20
Boutique™
Votives



20
Mosaic
Votive



20
Cafe Cylinder™
Votive



21
Low
Craftsman™
Frame



21
Odyssey™
Votive



21
Odyssey™
Lamp



23
Quad™
Votives

mm
191
165
140
114
89
64
38
13
0



28
Mini Panel
Lamp




29
Mystic™
Votive



29
Candy Apple™
Votive



31
Glacier™
Tealights



31
Glacier™
Votives



31
Tetra™
Votives



32
Data™
Votive



32
Data™
Lamp



33
Wysp™
Cylinders

mm
140
114
89
64
38
13
0



37
Mini Solid
Onyx
Lamp



37
Solid Onyx
Lamp



39
Cirque™
Base



39
Flip™
Base



39
Rondo™
Bases



41
Denmark™
Mid-Size base



41
Denmark™
Tall base



41
Small
Horizon™
Base



41
Mid-Size
Horizon™
Base



41
Tall
Horizon™
Base

mm
191
165
140
114
89
64
38
13
0



47
Weld™
Base



47
Bertrand™
Base



48
Large
Glass
Cylinders



48
Mini
Glass
Cylinders



48
Deco-Ring™



49
Vogue™
Bases



50
Cocktail II™
Lamps



52
Mod™
Candlesticks



52
Classic™
Candlesticks

mm
316
291
266
241
216
191
165
140
114
89
64
38
13
0

Hollowick Lamp Finishes



Lustre Finish

Brilliance with a splash of iridescent color.



Satin Finish

A translucent surface that emits a warm soft glow. Available in many colors.



Amber Art Finish

Each Amber Art treatment has a unique flow of colors, clouds and light. Like each sunrise, every lamp is a distinct masterpiece that brings beauty and tranquility.



Ice Finish

A sparkling durable finish created by fusing bits of glass to the lamp surface. Resists fingerprints.



Satin Linen Finish

Provides a warm subtle glow. This innovative technique won't stain like other satin and etched finishes.



Jewel Finish

A dazzling display achieved by applying an ice finish on the inside of the lamp.



Midnight Amber

A satiny dark chocolate ocean accepts a soothing sunset of candlelight. Day or night, the Midnight Amber treatment brings calmness and warmth.



Ruby Gold

A celestial haze of ruby washed over an inner sheen of metallic gold in a classic curve of light.



Antique Gold

The dramatic textural Antique Gold decorated finish is warm and inviting. Each hand-applied finish will have a unique textured look.

Use & Care of Hollowick Lamps



GLOBES

Keep Hollowick globes sparkling clean by regularly handwashing them with warm water and mild detergent.

NOTE: Commercial dishwashing detergents may spot or dull fired-on colors.

BASES/LAMPS

Hollowick lamp bases are coated with finishes that protect and enhance the beauty of the lamps. Metal and wood bases should be cleaned with a spray furniture wax. This leaves a protective shine and allows for easy cleaning in the future. Resin and glass bases should be cleaned with a damp cloth and mild detergent.

NOTE: DO NOT PUT ANY HOLLOWICK LAMP, BASE OR GLOBE IN A DISHWASHER.

A Note About Breakage Due To Thermal Shock

Breakage and cracking are commonly experienced when traditional wax tealights and votives are used in glass table lamps; especially with thicker glass lamps and globes.

For this reason, **Hollowick Lamps are not recommended for use with wax tealights and votives.** The use of the proper Hollowick fuel cell will resolve this issue.

Thick Round

Glass Tealights

in: 2½H x 2½Dia. mm: 73H x 70Dia. (Wt. 1.0#)

Recommended



HD8

Fuel Ordering Info pg 6



5140C
Clear



5140CJ
Clear Jewel ♦



5140F
Satin Crystal ♦



5140R
Ruby



5140RJ
Ruby Jewel ♦



5140AJ
Amber Jewel ♦



5140A
Amber



5140CBL
Cobalt Blue



5140CBLJ
Cobalt Blue Jewel ♦

Thick Triangle

Glass Tealights

in: 2½H x 2½W mm: 73H x 70W (Wt. 1.0#)

Recommended



HD8

Fuel Ordering Info pg 6



5160C
Clear



5160A
Amber



Bubbles

Glass Tealights

in: 2½H x 2½Dia. mm: 60H x 65Dia. (Wt. 0.25#)

Also available in clear

Recommended



HD8

Fuel Ordering Info pg 6



5119CI
Clear Ice ♦



5119G
Gold Lustre



5119STC
Satin Terra Cotta ♦



5119R
Ruby Lustre



5119SDB
Satin Dark Blue ♦



5119S
Smoke Lustre



5119SC
Satin Crystal ♦

Cylinders

Glass Tealights

in: 2½H x 2Dia. mm: 64H x 51Dia. (Wt. 0.3#)

Also available in clear



5176CI
Clear Ice ♦



5176SC
Satin Crystal ♦



5176STC
Satin Terra Cotta ♦



5176SDB
Satin Dark Blue ♦



5176G
Gold Lustre



5176S
Smoke Lustre



5176R
Ruby Lustre



Pixel™

Glass Tealights

in: 3H x 2 1/4Dia. mm: 76H x 73Dia. (Wt. 0.9#)

Recommended



HD8

Fuel Ordering Info pg 6



6701C
Clear




6701A
Amber



6701AQ
Aqua



6701SC
Satin Crystal ♦



Hollowick's HD8
Liquid Tealight™

**Fits anywhere a Tealight fits.
The smallest fuel cell
available anywhere!
Burns 8 Hours. No Wax Mess!**





Firefly™

Glass Lamps

In: 5¼H x 3Dia.
mm: 133H x 76Dia. (Wt. 0.8#)

Recommended



HD8

Fuel Ordering Info pg 6



1610C

Clear with Cradle™ and Handle

Clear w/ Cradle → **1610C**

Handle → **1602**



1610SL

Satin Linen with
Cradle™



1610SDBL

Satin Dark Blue with
Cradle™



1610AG

Antique Gold with
Cradle™

Firefly™ Lantern Handle

In: 3¼L x 3¼W x 4H
mm: 79L x 79W x 102H
(Wt. 0.2#)



1602

Firefly Lantern
Handle only

Tealight Cradle™ Only

In: 4¾H x 2¾Dia.
mm: 111H x 70Dia.
(Wt. 0.2#)



1601PC

Firefly Tealight
Cradle™ only

Firefly™ Glass Jars Only

1600C Clear, Firefly Glass only

1600SL Satin Linen, Firefly Glass only

1600SDBL Satin Dark Blue, Firefly Glass only

1600AG Antique Gold, Firefly Glass only



Lighthouse™

Glass Lamps

Recommended



HD8

Fuel Ordering Info pg 6



1606C

Clear

in: 6H x 3¼Dia.
mm: 153H x 81Dia.
(Wt. 0.9#)



1608C

Clear

in: 8¼H x 4Dia.
mm: 210H x 102Dia.
(Wt. 1.2#)

Unique Glass Tealights

Recommended



HD8

Fuel Ordering Info pg 6

Fleck™ Tealights

in: 2½H x 2½Dia.

mm: 67H x 54Dia. (Wt. 0.3#)



5100
Fleck

Ribbed Tealights

in: 2½H x 2½Dia.

mm: 64H x 64Dia. (Wt. 0.4#)



5228C
Clear



5228A
Amber

Crystal Tealights

in: 2½H x 2½Dia.

mm: 60H x 64Dia. (Wt. 0.5#)



5690C+SC
Crystal & Satin



5690C
Crystal

Faceted Cubes

Glass Lamps

in: 3¼H x 3Sq. mm: 83H x 76Sq. (Wt. 1.6#)

Recommended



HD8

Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6



5151C
Clear ♦



5151A
Amber ♦

Café Cylinder™

Glass Votive

in: 4¼H x 2¼Dia.

mm: 121H x 70Dia. (Wt. 0.5#)

Also available in clear

Recommended



HD8

Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6

Boutique™

Porcelain Votives

in: 3¼H x 2¼Dia. mm: 79H x 73W (Wt. 0.5#)

Recommended



HD8

Alternate Fuel Cells
HD15, HD12 and HD10

Fuel Ordering Info pg 6



6207ST
Stripes ♦



6207D
Dots ♦

Mosaic

Glass Votive

in: 3¼H x 3Dia. mm: 84H x 76Dia. (Wt. 1.1#)

Recommended



HD8

Alternate Fuel Cells
HD15, HD12 and HD10

Fuel Ordering Info pg 6



6201A
Amber ♦



SCH400SL
Satin Linen ♦

Low Craftsman™ Frame

Black powder coated wrought iron
Fits 67 Odyssey and 6179/6109 Quad lamps
in: 2H x 3½Sq. mm: 51H x 89Sq. (Wt. 0.5#)

Votive → **67SC**
Frame → **SWRQD39**



Hollowick's 15-hour
Liquid Votive™

Fits anywhere a 15-hour votive fits.
Clean candlelight without the candle mess.
Burns 15 hours.

Odyssey™

Glass Votives

in: 3H x 3Sq. mm: 76H x 76Sq. (Wt. 0.6#)

Recommended



HD8

Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6



67SCI
Satin Crystal Ice ♦



67SSG
Satin Seafoam ♦



67SCA
Amber Satin ♦

Odyssey™ Base

Brushed satin pewter metal

Base – in: 1½H x 2½Sq. mm: 44H x 64Sq. (Wt. 0.3#)

Globe – in: 3H x 3Sq. mm: 76H x 76Sq. (Wt. 0.6#)

Recommended



HD8

Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6

Satin Pewter

Top → **67SC**
Base → **OD29**





Quad™

Glass Votives

in: 4½H x 2½Sq. mm: 111H x 64Sq. (Wt. 1.0#)

Recommended



HD8

Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6



6179FA
Amber Art Deco ♦



6179F
Clear Art Deco ♦



6109AG
Antique Gold ♦



6109FA
Amber Satin Panel ♦



6109AJ
Amber Jewel ♦



6109CJ
Clear Jewel ♦



6109C
Clear



6109A
Amber



6109F
Clear Satin Panel ♦

Decorative Frames

Craftsman™ Frame

Black powder coated metal
Fits Quad Votives.

Frame – in: 4½H x 3½Sq. mm: 114H x 79Sq. (Wt. 0.7#)



Clear Satin Panel

Lamp → **6109F**
Frame → **WRQD39**

Low Craftsman™ Frame

Black powder coated metal
Fits Odyssey and Quad Votives.

in: 2H x 3½Sq. mm: 51H x 89Sq. (Wt. 0.5#)



Antique Gold

Lamp → **6109AG**
Frame → **SWRQD39**

Direction™ Frame

Polished chrome
Fits Quad Votives

in: 4½H x 3Sq. mm: 114H x 76Sq. (Wt. 0.1#)



Clear Satin Panel

Lamp → **6109F**
Frame → **DQD-PC**

Chime™

Glass Votives

in: 3½H x 2¾Dia. mm: 89H x 70Dia. (Wt. 0.6#)

Also available in clear

Recommended



Alternate Fuel Cells
HD15 and HD10

Fuel Ordering Info pg 6

HD8



6955G
Gold Lustre



6955SG
Satin Gold ♦



6955SM
Satin Midnight ♦



6955S
Smoke Lustre



6955CJ
Clear Jewel ♦



6955SL
Satin Linen ♦



Contour™

Glass Votives

in: 3½H x 3Dia. mm: 94H x 76Dia. (Wt. 0.8#)

Also available in clear

Recommended



HD8

Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6



6404AG
Antique Gold ♦



6404CI
Clear Ice ♦



6404G
Gold Lustre



6404R
Ruby Lustre



6404STC
Satin Terra Cotta ♦



6404SL
Satin Linen ♦



6404SDB
Satin Dark Blue ♦



6404SSG
Satin Seafoam ♦



6422G
Amber Art ♦



6404SG
Satin Gold ♦



6404MA
Midnight Amber ♦



6404RG
Ruby Gold ♦

Wysp™ Votives

Hand-formed glass

in: 3½H x 3¼Dia. mm: 89H x 95Dia. (Wt. 0.6#)

Recommended



Alternate Fuel Cells
HD15 and HD10
Fuel Ordering Info pg 6

HD8



6806BK
Black



6817SBK
Satin Black ♦



6806W
White



6817SCA
Amber Satin Crystal ♦



6817SC
Satin Crystal ♦

Votive Columns

Glass Lamps

in: 3½H x 3Dia. mm: 90H x 76Dia. (Wt. 0.7#)

Also available in clear

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8



6147SJ
Smoke Jewel ♦



6147CHJ
Champagne Jewel ♦



6147SC
Satin Crystal ♦



6147RJ
Ruby Jewel ♦



6147CI
Clear Ice ♦





Cauldron™

Hammered metal votive

in: 3½H x 4Dia. mm: 90H x 101Dia. (Wt. 0.8#)

Recommended



Alternate Fuel Cell HD12
Fuel Ordering Info pg 6

HD8



4150
Hammered Metal ♦

Mini Panel Lamp

Mica

in: 3½H x 2½Sq. mm: 98H x 68Sq. (Wt. 0.4#)

Shade: in: 2½H x 3½Sq. mm: 53H x 92Sq. (Wt. 0.2#)

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8



Shade → **912A**
Lamp → **1200A**
Mica ♦



Hollowick's 12-hour
Liquid Votive™

Clean candlelight without the
candle mess. Burns 12 hours.

Mystic™

Hand-blown glass

in: 4H x 4¼Dia. mm: 102H x 108Dia. (Wt. 1.6#)

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8



4100
Mystic Glass Lamp ♦

Candy Apple™

Hand-formed glass

in: 4H x 4Dia. mm: 100H x 100Dia. (Wt. 1.4#)

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8



4160
Candy Apple Glass
Votive ♦



Glacier™

Glass Tealights

in: 2½H x 2½Dia. mm: 69H x 62Dia. (Wt. 0.8#)

Recommended



HD8

Fuel Ordering Info pg 6



5180SC
Satin Crystal Wysp™ ♦



5180C
Clear



5180CML
Caramel Wysp™ ♦

Glass Votives

in: 4½H x 2½Dia. mm: 117H x 70Dia. (Wt. 1.5#)

Recommended



HD10

Alternate Fuel Cells
HD15 or HD12
Fuel Ordering Info pg 6



5188SC
Satin Crystal Wysp™ ♦



5188C
Clear ♦



5188CML
Caramel Wysp™ ♦

Tetra™

Glass Votives

in: 3½H x 3Sq. mm: 89H x 75Sq. (Wt. 1.0#)

Also available in clear

Recommended



HD8

Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6



6505CJ
Clear Jewel ♦



6588IBK
Splash Black ♦



6588IR
Splash Red ♦



6505SL
Satin Linen ♦



6505AG
Antique Gold ♦



6505STC
Satin Terra Cotta ♦



6505SSG
Satin Seafoam ♦



6505SDB
Satin Dark Blue ♦

Data™ Votive

in: 3½H x 2½Dia. mm: 86H x 61Dia. (Wt. 0.3#)

Recommended



HD8

Alternate Fuel Cells
HD12 and HD10

Fuel Ordering Info pg 6



6005
Black and Gold

Data™ Lamp

in: 4H x 3½Dia. mm: 102H x 80Dia. (Wt. 0.5#)

Recommended



HD12

Alternate Fuel Cells
HD26 and HD17

Fuel Ordering Info pg 6



6017
Black and Gold



Wysp™

Glass Cylinders

in: 4½H x 2½Dia. mm: 114H x 73Dia. (Wt. 0.9#)

Leaf Ring – in: 2½H x 3½Dia. mm: 70H x 79Dia. (Wt. 0.5#)

Recommended




HD12

Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6



44017CML
Caramel ♦



44017DB
Dark Blue ♦



44017SC
Satin Crystal ♦



44017SCA
Amber Satin Crystal ♦



Wrought Metal Leaf Ring
with Satin Crystal

Lamp → **44017SC**
Base → **WRLF39**

Aurora™ Frame

Bronze powder coated metal

Frame - in: 4½H x 3½Dia. mm: 124H x 89Dia. (Wt. 0.6#)

Cylinder - in: 4½H x 2½Dia. mm: 114H x 73Dia. (Wt. 0.9#)



Recommended



HD12

Alternate Fuel
Cells HD26 and
HD17
Fuel Ordering
Info pg 6

Dark Bronze Frame,
Amber Satin Crystal Wysp™ Cylinder

Lamp → **44017SCA**
Frame → **WRBD39**

Frame - in: 4½H x 3½Dia. mm: 124H x 89Dia. (Wt. 0.6#)

Globe - in: 4½H x 3Dia. mm: 114H x 76Dia. (Wt. 0.5#)



Recommended



HD36



C-36/50PC

See pg 10 for
Gala™ Fuel
Cell Covers

**Aurora™ Frame with 4845
Globe and Large Gala™ Fuel
Cell Cover uses HD36 Fuel Cell**

Dark Bronze Frame

Globe → **4845**
Gala™ → **C-36/50W**
Frame → **WRBD39**





Pebble™

Glass Lamps

Fuel Ordering Info pg 6



6256A
Amber Votive ♦
in: 3½H x 3Dia.
mm: 86H x 76Dia.
(Wt. 0.6#)



46017A
Amber Cylinder ♦
in: 4½H x 3½Dia.
mm: 111H x 79Dia.
(Wt. 0.5#)



46318A
Amber Tall Cylinder ♦
in: 6H x 3Dia.
mm: 152H x 76Dia.
(Wt. 0.7#)

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8

Recommended



Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6

HD12

Recommended



Alternate Fuel Cells
HD42 and HD26
Fuel Ordering Info pg 6

HD17

Crackle™

Glass Votives

in: 3½H x 3Dia. mm: 83H x 76Dia. (Wt. 0.9#)

Recommended



Alternate Fuel Cells
HD15, HD12 and HD10
Fuel Ordering Info pg 6

HD8



6301RG
Red & Gold ♦



6351RG
Red & Gold Frosted ♦



6301G
Gold ♦



6351G
Gold Frosted ♦

Crackle™

Glass Cylinders

in: 4½H x 3½Dia. mm: 114H x 79Dia. (Wt. 1.0#)

Recommended



Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6

HD12



43017BP
Blue & Purple ♦



43017G
Gold ♦



43017RG
Red & Gold ♦



Vertical Rod

Glass Cylinders

in: 4 $\frac{1}{4}$ "H x 2 $\frac{1}{2}$ "Dia. mm: 117H x 60Dia. (Wt. 1.1#)

Wrought Metal Leaf Ring

in: 2 $\frac{1}{2}$ "H x 3 $\frac{1}{4}$ "Dia. mm: 70H x 79Dia. (Wt. 0.5#)

Recommended



Alternate Fuel Cells
HD26 and HD17

Fuel Ordering Info pg 6

HD12



1502SC
Satin Crystal ♦



1502R
Ruby



1502C
Clear ♦



Lamp → **1502CJ**
Clear Jewel ♦
Base → **WRLF39**

Mocha™

Hand-Blown Glass Cylinder

in: 4 $\frac{1}{4}$ "H x 3"Dia. mm: 117H x 76Dia. (Wt. 1.1#)



45017BR
Mocha™ Cylinder ♦

Solid Onyx Lamps

Recommended



Alternate Fuel Cell
HD12

Fuel Ordering Info pg 6

HD8



4708H
Mini Honey Onyx ♦
in: 2 $\frac{1}{4}$ "H x 2 $\frac{1}{4}$ "Dia. mm: 70H x 70Dia.
(Wt. 0.8#)



Honey Onyx ♦

Lamp → **47017H**
Base → **WRLF39**

Recommended



Alternate Fuel Cells
HD26 and HD17

Fuel Ordering Info pg 6

HD12

Lamp - in: 4 $\frac{1}{4}$ "H x 2 $\frac{1}{4}$ "Dia.
mm: 121H x 70Dia. (Wt. 1.4#)

Exotic Onyx Lamps

Recommended



Alternate Fuel Cells
HD26 and HD17

Fuel Ordering Info pg 6

HD12



47017EX0
Exotic Onyx ♦
in: 4 $\frac{1}{4}$ "H x 2 $\frac{1}{4}$ "Dia. mm: 121H x 70Dia. (Wt. 1.4#)



Naturally occurring Onyx textures will vary.
Each lamp will have a unique pattern.



Exotic Onyx availability is limited



Cirque™

Wood Base – in: ¾H x 2¾Dia. mm: 19H x 67Dia. (Wt. .05#)
Glass Globe – in: 4¾H x 2¾Dia. mm: 117H x 60Dia. (Wt. 0.3#)

Recommended



Alternate Fuel Cell
HD26
Fuel Ordering Info pg 6

HD17



C-17/26PC

See pg 10 for
Gala™ Fuel
Cell Covers



Globe → 73C
Gala™ → C-17/26W
Base → 430

Flip™

Nylon Base – in: 1¼H x 3¼Dia. mm: 32H x 83Dia. (Wt. 0.2#)
Glass Globe – in: 5H x 3Dia. mm: 127H x 76Dia. (Wt. 0.5#)

Recommended



Alternate Fuel Cells
HD36 and HD26
Fuel Ordering Info pg 6

HD17



48C
C-36/50W
450



C-36/50PC

See pg 10 for
Gala™ Fuel
Cell Covers



48C
C-17/26PC
450

← Reversible Base →
← Fits HD36 Fits HD17/HD26 →

Rondo™

Wood Base – in: 1¾H x 3¾Dia. mm: 41H x 95Dia. (Wt. 0.2#)
Glass Globe – in: 4¾H x 2¾Dia. mm: 117H x 62Dia. (Wt. 0.3#)

Recommended



Alternate Fuel Cell
HD26
Fuel Ordering Info pg 6

HD17



C-17/26PC

See pg 10 for
Gala™ Fuel
Cell Covers



Black

Globe → 73SC ♦
Base → 330



Wood
Polished Chrome Mid-Size Gala™ Fuel Cell Cover

Globe → 73C
Gala™ → C-17/26PC
Base → 300





Denmark™ Candlestick

Wood Bases

Recommended



Alternate Fuel Cell
HD26
Fuel Ordering Info pg 6

HD17

Mid-Size

in: 7H x 2 1/4Dia. mm: 178H x 70Dia. (Wt. 0.8#)
Base and Globe total height – in: 9 1/4H mm: 251H



Wood
Globe → **64SC** ♦
Base → **2017**

Tall

in: 9H x 2 1/4Dia. mm: 229H x 70Dia. (Wt. 1.1#)
Base and Globe total height – in: 11 1/4H mm: 302H



Wood
64C
2117

Horizon™

Wood Cylinder Bases

Recommended



Alternate Fuel Cell
HD26
Fuel Ordering Info pg 6

HD17

Small

Base – in: 2 3/4H x 2 3/4Dia.
mm: 60H x 70Dia. (Wt. 0.2#)
Base and Globe total height – in: 5 1/4H mm: 133H



Wood
Globe → **64SC** ♦
Base → **200**

Mid-Size

Base – in: 3 3/4H x 2 3/4Dia.
mm: 96H x 70Dia. (Wt. 0.5#)
Base and Globe total height – in: 6 1/4 mm: 168



Wood
64C
230

Tall

Base – in: 5 1/4H x 2 3/4Dia.
mm: 131H x 70Dia. (Wt. 0.6#)
Base and Globe total height – in: 8 mm: 203



Wood
64SC ♦
220

Horizontal Rib Block

Glass Lamps

in: 4¼H x 2½Sq. mm: 105H x 73Sq. (Wt. 1.8#)

Recommended



HD12

Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6



1511CJ
Clear Jewel ♦



1511A
Amber



1511SC
Satin Crystal ♦



1511AJ
Amber Jewel ♦



1511C
Clear

Optic Block™

Glass Lamps

in: 3¾H x 2½Sq. mm: 95H x 67Sq. (Wt. 0.9#)

Recommended



HD12

Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6



1533R
Ruby



1533C
Clear



1533A
Amber



1533RJ
Ruby Jewel ♦



1533CJ
Clear Jewel ♦



1533AJ
Amber Jewel ♦



1533SC
Satin Crystal ♦



Our Optic Block lamps provide a dazzling starburst effect upon the tabletop.



Typhoon™

Spun Glass Lamps

Tealight: in: 3 $\frac{1}{4}$ "H x 2 $\frac{1}{4}$ "Dia. (mm: 62H x 60Dia.) (Wt. 0.4#)
Mid-Size: in: 5"H x 2 $\frac{1}{4}$ "Dia. (mm: 142H x 74Dia.) (Wt. 0.7#)
Large: in: 6 $\frac{1}{4}$ "H x 3 $\frac{1}{4}$ "Dia. (mm: 169H x 80Dia.) (Wt. 1.1#)

Recommended



HD8

Fuel Ordering
Info pg 6

Recommended



HD12

Alternate Fuel Cells
HD26 and HD17
Fuel Ordering Info pg 6

Recommended



HD17

Alternate Fuel Cells
HD36 and HD26
Fuel Ordering Info pg 6



5125DA
Dark Amber
Tealight



42517DA
Dark Amber
Mid-Size



48025DA
Dark Amber
Large



5125C
Clear
Tealight



42517C
Clear
Mid-Size



48025C
Clear
Large

Luxor™

Solid Alabaster Lamps

Tealight: in: 3 $\frac{3}{4}$ "H x 2 $\frac{1}{4}$ "Dia. (mm: 86H x 58Dia.) (Wt. 0.7#)
Mid-Size: in: 5"H x 2 $\frac{1}{4}$ "Dia. (mm: 127H x 70Dia.) (Wt. 1.2#)
Large: in: 6 $\frac{5}{8}$ "H x 3 $\frac{1}{4}$ "Dia. (mm: 169H x 80Dia.) (Wt. 1.5#)

Recommended



HD8

Fuel Ordering Info pg 6



8208EA
Tealight ♦

Recommended



HD12

Alternate Fuel Cells
HD26 and HD17

Fuel Ordering Info pg 6



8217EA
Mid-Size ♦

Recommended



HD17

Alternate Fuel Cells
HD36 and HD26

Fuel Ordering Info pg 6



8236EA
Large ♦

Naturally occurring Alabaster textures will vary.
Each lamp will have a unique pattern.





Gear™

Vintage Metal Base

in: 2½H x 3¼Dia. mm: 60H x 96Dia. (Wt. 1.0#)

Recommended



HD36

Alternate Fuel Cell HD30

Fuel Ordering Info pg 6



Globe → **48C**
Base → **2800VM**

Weld™

Vintage Metal Base

in: 2½H x 2¼Dia. mm: 54H x 70Dia. (Wt. 0.6#)

Recommended



HD17

Alternate Fuel Cell HD26

Fuel Ordering Info pg 6



64C
2817VM

Bertrand™

Concrete Base

in: 2½H x 3¼Dia. mm: 61H x 77Dia. (Wt. 0.6#)

Recommended



HD17

Alternate Fuel Cell HD26

Fuel Ordering Info pg 6



Globe → **64C**
Base → **240**



Large Glass Cylinders

in: 5½H x 3Dia. mm: 140H x 76Dia. (Wt. 0.5#)

Recommended



HD36



C-36/50PC

Large Glass Cylinders can be used with Large Gala™ Fuel Cell Cover. Use HD36 Fuel Cells Only
See pg 10 for Gala™ Fuel Cell Covers
Fuel Ordering Info pg 6




Clear
Lamp → **48000C**
Gala™ → **C-36/50PC**



48000C-IRIS
Iris Etch



48000C-LIL
Lily Etch



48000F
Satin Crystal

Mini Glass Cylinders

in: 4¾H x 2¾Dia. mm: 111H x 60Dia. (Wt. 0.3#)

Recommended



HD17
Alternate Fuel Cell
HD26
Fuel Ordering Info pg 6



C-17/26PC
See pg 10 for
Gala™ Fuel
Cell Covers

Mini Glass Cylinders can be used with Mid-Size Gala™ Fuel Cell Cover.



48017C
Clear



48017F
Satin Crystal

Deco-Rings™

Powder coated metal

Base – in: 3¾H x 3¾Dia. mm: 89H x 86Dia. (Wt. 0.7)

Globe: 5”H x 3” Dia. mm: 127H x 76Dia.

Recommended



HD36

Alternate Fuel Cell
HD50
Fuel Ordering Info pg 6



C-36/50PC

Deco-Rings™ and Large Gala™ Fuel Cell Cover use HD36 Fuel Cell

See pg 10 for Gala™ Fuel Cell Covers
Fuel Ordering Info pg 6



Satin Black
Globe → **48SC**
Base → **DRB31**



Satin Black
48C
DRB31

Vogue™

Metal Bases

Base – in: 1H x 3Dia. mm: 74H x 25Dia. (Wt. 0.3)
Globe: 5”H x 3” Dia. mm:127H x 76Dia.

Recommended



HD36



C-36/50PC

Large Glass Cylinders can be used
with Large Gala™ Fuel Cell Cover.
Use HD36 Fuel Cells Only
See pg 10 for Gala™ Fuel Cell Covers
Fuel Ordering Info pg 6



Chrome

Globe → **48C**
Base → **800PC**
C36/50PC



Dark Bronze

Globe → **48SC ♦**
Base → **800BZ**





Cocktail II™

Metal Bases – in: 2H x 3½Dia.
mm: 51H x 92Dia. (Wt. 0.8#)

Recommended



HD36

Fuel Ordering Info pg 6



Satin Brass

Globe →	46AL
Base →	502



Polished Brass

Globe →	36C
Base →	702



Polished Chrome

Globe →	35C
Base →	602



Satin Nickel

Globe →	33C
Base →	2902

3" Fitters

Glass Globes

Diamond Point Globes

in: 2½H x 3¼Dia. mm: 64H x 84Dia. (Wt. 0.8#)
(Note: Cannot be used with Gala™ Fuel cell covers)



33C
Clear

33G
Gold

Bubble Globes

in: 3½H x 4Dia. mm: 79H x 102Dia. (Wt. 0.4#)



35C
Clear

35SC
Satin Crystal

35S
Smoke

35G
Gold

35R
Ruby

35BL
Blue Lustre

Danbury Globes

in: 4½H x 4¼Dia. mm: 117H x 108Dia.
(Wt. 1.0#)

(Note: cannot be used with
Gala™ Fuel cell covers)



38C
Clear

38SE
Satin Etch

Mushroom Globes

in: 3½H x 4¼Dia. mm: 89H x 121Dia.
(Wt. 0.5#)



46C
Clear

46AL
Amber Lustre

Cylinder Globes

in: 5H x 3Dia. mm: 127H x 76Dia.
(Wt. 0.5#)



48C
Clear

48SC
Satin Crystal

Chimney Globes

in: 7½H x 4Dia. mm: 184H x 102Dia. (Wt. 0.5#)



28C
Clear

28S
Smoke

Conical Chimney Globes


in: 6½H x 4Dia. mm: 171H x 102Dia. (Wt. 0.7#)



36C
Clear

36SL
Satin Linen

36AL
Amber Lustre



Mod™ Candlesticks

Metal Base and Glass Shade Support: – in: 10¼H x 4Dia. mm: 260H x 102Dia. (Wt. 2.0#)

Recommended



Fuel Ordering Info pg 7

HD3622-HL Provides 3x as much light as a standard fuel cell.
Alternate Fuel Cell HD36

HD3622-HL



Dark Bronze ♦

Shade → **395I**
Base → **272BZ**



Brushed Stainless ♦

397LN
272BSS

Classic™ Candlesticks

Metal Base and Glass Shade Support: – in: 9¾H x 3¾Dia. mm: 238H x 92Dia. (Wt. 1.2#)



Antique Brass ♦

Shade → **395SS**
Base → **277AB**



Dark Bronze ♦

397I
277BZ



Polished Chrome ♦

393CR
277PC

Candlestick Shades

All fabric shades are fire retardent and coated with a flame resistant shade liner.

Mica Shade

in: 4 $\frac{1}{4}$ H x 5 $\frac{3}{4}$ W (mm: 108H x 149W) (Wt. 0.6#)



936A Six Sided Mica

Drum Fabric Shades


in: 5 $\frac{1}{2}$ H x 4 $\frac{1}{4}$ Dia. (mm: 137H x 106Dia.) (Wt. 0.2#)



397I
Ivory



397LN
Linea



397CR
Crimson



397SS
Sandstone

Tapered Square Fabric Shades

in: 4 $\frac{1}{4}$ H x 4 $\frac{1}{4}$ Sq. (mm: 121H x 114Sq.) (Wt. 0.2#)



393I
Ivory



393CR
Crimson



393SS
Sandstone

Empire™ Fabric Shades

in: 4 $\frac{1}{4}$ H x 5 $\frac{1}{4}$ Dia. (mm: 114H x 130Dia.) (Wt. 0.1#)



395I
Ivory



395SV
Silver



395CR
Crimson



395SS
Sandstone

Pleated Fabric Shades

in: 4 $\frac{1}{2}$ H x 6Dia. (mm: 114H x 152Dia.) (Wt. 0.4#)



296B
Black



296BG
Burgundy



296I
Ivory

in: 4 $\frac{1}{2}$ H x 5Dia. (mm: 114H x 127Dia.) (Wt. 0.4#)



295I
Ivory

Shade Support For
Replacements
(Included with base)



4845 Clear Glass
in: 4 $\frac{1}{2}$ H x 3Dia.
mm: 114H x 76Dia.
(Wt. 0.5#)

Need More Light?

Try our “**High Light**” disposable fuel cell option. **3 times** the light of our standard fuel cells. Great for use with shaded lamps or wherever you’d like more light. Order #HD3622-HL.



HOLLOWICK SHELF PACKS

A Great Big Idea in a Small Package

Designed Especially for Cash & Carry Operations

- Hollowick's Most Popular Sized Fuel Cells & Lamps
- Bilingual Copy
- Excellent Tool to Upgrade Customers from Less Profitable Solid Wax Products
- Attractive Shelf-friendly Packaging
- Convenient Pack Sizes
- UPC Bar Codes for Easy Checkout



	Item	Lamp Description (Contains 4 Lamps per pack) See page: For more information on lamp	Page	Fuel Cells (4 per pack)	
	1502C-4	Clear, Vertical Rod Glass Cylinder Lamp	37	HD12	
	1502R-4	Ruby, Vertical Rod Glass Cylinder Lamp	37	HD12	
	1502SC-4	Satin Crystal, Vertical Rod Glass Cylinder Lamp	37	HD12	
	1533A-4	Amber, Optic Block™ Glass Lamp	42	HD12	
	1533C-4	Clear, Optic Block™ Glass Lamp	42	HD12	
	1533R-4	Ruby, Optic Block™ Glass Lamp	42	HD12	
	1533SC-4	Satin Crystal, Optic Block™ Glass Lamp	42	HD12	
	42517C-4	Clear, Typhoon™ Spun Glass Mid-Size Cylinder Lamp	44	HD12	
	42517DA-4	Dark Amber, Typhoon™ Spun Glass Mid-Size Cylinder Lamp	44	HD12	
	44017CML-4	Caramel, Wysp™ Glass Cylinder Lamp	33	HD12	
	44017DB-4	Dark Blue, Wysp™ Glass Cylinder Lamp	33	HD12	
	44017SC-4	Satin Crystal, Wysp™ Glass Cylinder Lamp	33	HD12	
	44017SCA-4	Amber Satin, Wysp™ Glass Cylinder Lamp	33	HD12	
	5140A-4	Amber, Thick Round Glass Tealight Lamp	15	HD8	
	5140C-4	Clear, Thick Round Tealight Glass Lamp	15	HD8	
	5140CBL-4	Cobalt Blue, Thick Round Glass Tealight Lamp	15	HD8	
	5140F-4	Satin Crystal, Thick Round Glass Tealight Lamp	15	HD8	
	5140R-4	Ruby, Thick Round Glass Tealight Lamp	15	HD8	
	5151A-4	Amber, Faceted Cube Glass Votive Lamp	20	HD8	
	5151C-4	Clear, Faceted Cube Glass Votive Lamp	20	HD8	
	5180C-4	Clear, Glacier™ Glass Tealight Lamp	31	HD8	
	5188C-4	Clear, Glacier™ Glass Votive Lamp	31	HD12	
	6109AJ-4	Amber Jewel, Quad™ Glass Votive Lamp	23	HD8	
	6109CJ-4	Clear Jewel, Quad™ Glass Votive Lamp	23	HD8	
	6404AG-4	Antique Gold, Contour™ Glass Votive Lamp	25	HD12	
	6404CI-4	Clear Ice, Contour™ Glass Votive Lamp	25	HD12	
	6404R-4	Ruby Lustre, Contour™ Glass Votive Lamp	25	HD12	
	6404SL-4	Satin Linen, Contour™ Glass Votive Lamp	25	HD12	



Solid Wax Candles



Hollowick's Select Wax® solid wax candles offer the finest quality and reliability in foodservice. We use a special wax blend designed to withstand foodservice storage and service conditions.

Choose from a wide variety: everything from tealights and votives, to pillars and even birthday candles!

HOLLOWICK'S SELECT WAX®

MADE IN THE
USA

Pillar Candles

PLEASE CONTACT
YOUR HOLLOWICK
DISTRIBUTOR FOR
PRICING.



P2.5W-36
White
in: 2½H x 2½Dia.
mm: 64H x 64Dia.
36/cs (Wt. 13.6#)



P3X9W-12
White
in: 9H x 3Dia.
mm: 229H x 76Dia.
12/cs (Wt. 22.2#)



P3X9I-12
Ivory
in: 9H x 3Dia.
mm: 229H x 76Dia.
12/cs (Wt. 22.2#)



P3X6W-12
White
in: 6H x 3Dia.
mm: 152H x 76Dia.
12/cs (Wt. 15.2#)



P3X6I-12
Ivory
in: 6H x 3Dia.
mm: 152H x 76Dia.
12/cs (Wt. 15.2#)



P3X6CP-12
Cappuccino
in: 6H x 3Dia.
mm: 152H x 76Dia.
12/cs (Wt. 15.2#)



P3X3W-12
White
in: 3H x 3Dia.
mm: 76H x 76Dia.
12/cs (Wt. 8.9#)



P3X3I-12
Ivory
in: 3H x 3Dia.
mm: 76H x 76Dia.
12/cs (Wt. 8.9#)



P3X3CP-12
Cappuccino
in: 3H x 3Dia.
mm: 76H x 76Dia.
12/cs (Wt. 8.9#)

Hollowick's pillar candles
create an aesthetic
tunneling effect while
burning, minimizing drips
while diffusing a warm glow
from within the candle.



Tealight Candles

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING.



TL5W-500
5 Hour Tealight
in: 5/8H x 1 1/2Dia.
mm: 16H x 38Dia.
4/125 inner pk, 500/cs, 16.6#/cs



TL5WPL-500
5 Hour Tealight Candle in
Clear Plastic Cup
in: 5/8H x 1 1/2Dia.
mm: 16H x 38Dia.
4/125 inner pk, 500/cs, 19.3#/cs



TL7W-400
7 Hour Tealight Candle
in: 3/4H x 1 1/2Dia.
mm: 19H x 38Dia.
4/100 inner pk, 400/cs, 16.9#/cs



MTL12W-240
12 Hour Mega Wax Tealight
in: 3/4H x 2 1/2Dia.
mm: 22H x 57Dia.
240/cs, 29.0#/cs

Food Warmer Votive Candles



FWV8W-288
8 Hour Food Warmer Votive
in: 1 1/4H x 1 1/2Dia.
mm: 32H x 37Dia.
4/72 inner pk, 288/cs, 18.4#/cs



FWV10W-288
10 Hour Food Warmer Votive
in: 1 1/4H x 1 1/2Dia.
mm: 37H x 37Dia.
4/72 inner pk, 288/cs, 21.0#/cs



FWV15W-144
15 Hour Tapered Food Warmer Votive
in: 2H x 1 1/4 - 1 1/2Dia.
mm: 51H x 44-37Dia.
4/36 inner pk, 144/cs, 16.1#/cs



FWV15WS-144
15 Hour Straight Food Warmer Votive
in: 2 1/4H x 1 1/2Dia.,
mm: 64H x 49Dia.
4/36 inner pk, 144/cs, 16.5#/cs



8"
203mm

10"
254mm

12"
305mm

15"
381mm

Cartridge and Birthday Candles



CC4.37W-200
Cartridge Candles
in: 4 3/8H x 1 3/8Dia. mm: 111H x 30Dia.
200/cs (Wt. 29.9#)

CC5.75W-480
Cartridge Candles
in: 5 3/8H x 1 3/8Dia. mm: 146H x 17Dia.
480/cs (Wt 30.2#)

BDAS-144PKS
Spiral Stripe Birthday Candles
Assorted Colors 24/pk
in: 2 1/4H x 1/2Dia.
mm: 57H x 6Dia.
12/12/24 inner pack,
3456/cs (Wt. 13.0#)

Taper Candles (Unwrapped)

Hollowick Select Wax® high quality taper candles are designed to be smoke free and to drip less during normal use conditions. Taper candle wax is specially blended to maintain shape in normal storage conditions.

12/12 inner pk, 144/cs

Item #	Description	(lbs/cs)
TP8W-12DZ	White 8" Taper	(Wt. 17.5#)
TP10I-12DZ	Ivory 10" Taper	(Wt. 21.7#)
TP10R-12DZ	Red 10" Taper	(Wt. 21.7#)
TP10W-12DZ	White 10" Taper	(Wt. 21.7#)
TP12BL-12DZ	Blue 12" Taper	(Wt. 25.9#)
TP12GR-12DZ	Green 12" Taper	(Wt. 25.9#)
TP12I-12DZ	Ivory 12" Taper	(Wt. 25.9#)
TP12R-12DZ	Red 12" Taper	(Wt. 25.9#)
TP12W-12DZ	White 12" Taper	(Wt. 25.9#)
TP15W-12DZ	White 15" Taper	(Wt. 30.4#)

HOLLOWICK'S SELECT WAX®

Floating Candles



FC2W-144
White
in: 1 $\frac{1}{8}$ "H x 2Dia.
mm: 30H x 51Dia.
144/cs (Wt. 15.9#)



FC3W-72
White
in: 1 $\frac{1}{8}$ "H x 3Dia.
mm: 30H x 76Dia.
72/cs (Wt. 16.4#)



KG60F-12
Frosted Glass



KG60C-12
Clear Glass

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING.

Knobby™ Candles

60 hour disposable candle
in: 3 $\frac{1}{4}$ "H x 3 $\frac{1}{4}$ "Dia. mm: 95H x 95Dia.
12/cs (Wt. 11.5#)

CaterLites™

CaterLite™ disposable candles
in: 1 $\frac{1}{8}$ "H x 2Dia. (mm: 48H x 51Dia.) 2/24 inner pk, 48/cs



CL530F-48
5 hour
Frosted Glass
(Wt. 11.8#)



CL530-48
5 hour
Clear Glass
(Wt. 11.8#)



CL830-48
8 hour
Clear Glass
(Wt. 12.5#)





Chafing and Cooking Fuels



Chafing Fuel

Hollowick offers a full compliment of chafing fuels designed to meet virtually any application. Choose from any one of our various wick chafing fuels that are known for their performance and safety.

All our chafing fuel products are clean burning and Made in the U.S.A.




Butane Fuel & Accessories

Butane fuel is ideal for tableside cooking and buffet stations. Rely on Hollowick Butane fuel and accessories to help create the perfect meal presentation for your customers.



Adjustable Heat

One can offers three distinct heat settings.



EZ 6-3-8

Burn Times



Standard Heat



High Heat



Low Heat



EZ 4-2-5

Burn Times



Standard Heat



High Heat



Low Heat



EZ 2-1-3

Burn Times



Standard Heat





High Heat



Low Heat

Applications



Reusable



Easy Heat is reusable. Easy Heat wicks will not melt or deform during use. The specially designed cap will automatically reset the wick to standard heat setting.

Safe



Can Stays Cool

An external wick means the can stays cool making Easy Heat safer to handle than a gel fuel. Placing cans directly on a tabletop is no longer an issue.



Sealed

With Easy Heat, all the fuel is safely sealed in its container. There is no worry of messy or dangerous spill accidents. The wick burns - not the liquid.



Odorless


With odorless burning, you'll smell the food, not the fuel!



No Shipping or Storage Restrictions

Easy Heat is non-hazardous by D.O.T. regulations. You'll have no worries about shipping restrictions, storage limitations or insurance. The fuel used, Diethylene Glycol (DEG), is in the same non-flammable category as vegetable oil (NFPA Class IIIB Combustible Liquid).

Hot



Easy Heat at Standard Heat is equal to Gel fuel heat output.



Short on set up time? Easy Heat on High Heat gets your chafing pan HOT - FAST!

Efficient



One can of Easy Heat 6-3-8, set to standard heat, provides the same burn time as 3 cans of gel fuel. This saves labor and significantly reduces inventory and waste.

Economical



Easy Heat is less expensive to use than gel chafing fuels when comparing costs per burn hour.

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING

	Item Number	Burn Hours/Weight	Can Dimensions	Case Qty.	Cases/Pallet	Case Weight
	EZ 6-3-8	6, 3 or 8 burn hours Net Wt. 9.7 oz (270g)	2 3/8"H x 3 3/8"Dia. mm: 60H x 86Dia.	24/case	60	18.8#
	EZ 4-2-5	4, 2, or 5 burn hours Net Wt. 6.5 oz. (181g)	1 3/4"H x 3 3/8"Dia. mm: 44H x 86Dia.	24/case	60	13.4#
	EZ 2-1-3	2, 1, or 3 burn hours Net Wt. 3.6 oz. (102g)	1 7/8" H x 2 1/2" Dia mm: 47H x 64Dia.	48/case	60	14.1#
	EZ638-6PK	6, 3 or 8 burn hours Net Wt. 9.7 oz. (270g)	2 3/8"H x 3 3/8"Dia. mm: 60H x 86Dia.	6 cans/carton	240	4.7#



Xtreme Wick™ CHAFING FUEL

XtremeHeat®

Hollowick's 4-Hour XtremeHeat® Liquid Chafing Fuel offers maximum heat output with all the safety benefits of liquid fuel.



XTRM4-24
XtremeHeat®
4 Hour Chafing Fuel

Safe




Odorless
With odorless burning, you'll smell the food, not the fuel!




No Shipping or Storage Restrictions
XtremeHeat® is non-hazardous by D.O.T. regulations. You'll have no worries about shipping restrictions, storage limitations or insurance. The fuel used, Diethylene Glycol (DEG), is in the same non-flammable category as vegetable oil (NFPA Class IIIB Combustible Liquid). Unlike gel fuel, XtremeHeat® fuel will not burn without a wick.

Hot



The unique "X" design of the trademarked **XTREME WICK™** allows for a larger, hotter flame compared to most liquid wick fuels. Xtreme Heat burns hotter than gel fuels.

Applications



Chafing



Hot Box



Chafing Alternative

Reusable

Simply pop the top and light the quick-lighting center wick. The top may also be replaced for reuse.

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING

	Item Number	Burn Hours/Weight	Dimensions	Case Qty.	Cases/Pallet	Case Weight
	XTRM4-24	4 Hour Chafing Fuel Net Wt. 9.9 oz. (280g)	in: 2 3/8"H x 3/8"Dia. mm: 60H x 86Dia.	24/case	70	18.3#

Ready Heat™

Wick Chafing Fuel



READY6
ReadyHeat™
6 Hour Wick Chafing Fuel

Buffet Heat™

Wick Chafing Fuel



BUFF6-24
BuffetHeat™
6 Hour Wick Chafing Fuel

Safe



Odorless
With odorless burning, you'll smell the food, not the fuel!



No Shipping or Storage Restrictions



ReadyHeat™ and BuffetHeat™ is non-hazardous by D.O.T. regulations. You'll have no worries about shipping restrictions, storage limitations or insurance. The fuel used, Diethylene Glycol (DEG), is in the same non-flammable category as vegetable oil (NFPA Class IIIB Combustible Liquid). Unlike gel fuel, ReadyHeat™ and BuffetHeat™ fuel will not burn without a wick.



Can Stays Cool

An external wick means the can stays cool making ReadyHeat™ and BuffetHeat™ safer to handle than a gel fuel. Placing cans directly on a tabletop is no longer an issue.

Applications



Reusable Simply remove the top and light the quick-lighting center wick. The top may also be replaced for reuse.

PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING

	Item Number	Burn Hours/Weight	Dimensions	Case Qty.	Cases/Pallet	Case Weight
	BUFF6-24	6 Hour Wick Liquid Chafing Fuel	in: 2 3/8"H x 3 3/8"Dia. mm: 60H x 86Dia.	24/case	60	16.5#
	READY6	6 Hour Wick Screw Top Chafing Fuel	in: 2 3/4"H x 3 3/8"Dia. mm: 70H x 86Dia.	24/case	60	16.3#



Hot 5™ Five Hour Wick Chafing Fuel

Hot 5™ is a value priced 5 hour wick chafing fuel from Hollowick specially designed for super easy use.



Burn Time



Safe



Can Stays Cool

Fuel can stays cool when lit. Safer to handle than gel fuel. Cans may be placed directly on tabletops.



Sealed

The fuel in the can is safely sealed. Only the wick burns, therefore the can is safer to handle.



Odorless


With odorless burning, you'll smell the food, not the fuel!



No Shipping or Storage Restrictions

Hot5 is non-hazardous by D.O.T. regulations. You'll have no worries about shipping restrictions, storage limitations or insurance. The fuel used, Diethylene Glycol (DEG), is in the same non-flammable category as vegetable oil (NFPA Class IIIB Combustible Liquid). Unlike gel fuel, Hot5 fuel will not burn without a wick.

Applications



Chafing



Room Service



Beverage Urn

Reusable

Hot 5™ may be recapped after use and used again, reducing waste.


PLEASE CONTACT YOUR HOLLOWICK DISTRIBUTOR FOR PRICING

Item Number	Burn Hours/Weight	Dimensions	Case Qty.	Cases/Pallet	Case Weight
 HOT5-24	5 Hour Wick Chafing Fuel Net Wt. 7.05 oz. (200g)	in: 1 3/4" H x 3 3/8" Dia. mm: 45H x 86Dia.	24/case	60	14.8#

Important information on using Chafing Fuels

The proper placement of any fuel source is critically important to get maximum heat performance. A wide variation in distance from the fuel retainers to the bottom of the water pan exists in various models of chafing dishes. We have seen variations of as much as 7 inches.

Since Easy Heat cans do not get hot, placing them directly on the table is not a problem.





#GHGREEN



Burn Time

- Eco-friendly Ethanol, a renewable resource
- Endorsed by the Green Restaurant Association - Dinegreen.com
- Corn-derived Ethanol procured from American Farmers



#GHPINK



Burn Time



#GHBLUE




Burn Time

Hot



Gel Heat Green, Blue & Pink burn hotter than most wick fuels. Gel Heat is a wise choice for chafing services requiring higher food temperatures.

Applications



Chafing



Hot Box





Chafing Alternative

Extra Burn Time

Hollowick Gel Heat lasts 30 minutes longer than most other gel fuels.

	Item Number	Burn Hours/Weight	Dimensions	Case Qty.	Cases/Pallet	Case Weight
	GHGREEN	2.5 Hour Green Ethanol Gel Chafing Fuel	in: 2 1/4" H x 3 3/8" Dia. mm: 57H x 86Dia.	72/case	56	40.0#
	GHBLUE	2.5 Hour Methanol Gel Chafing Fuel	in: 2 1/4" H x 3 3/8" Dia. mm: 57H x 86Dia.	72/case	56	40.0#
	GHPINK	2.5 Hour Ethanol Gel Chafing Fuel	in: 2 1/4" H x 3 3/8" Dia. mm: 57H x 86Dia.	72/case	56	40.0#

Chafing Fuel Family

Product Name	Easy Heat High Heat	Xtreme Heat	Easy Heat Standard Heat	Gel Heat Pink	Gel Heat Blue	Gel Heat Green	Buffet- Heat	Ready- Heat	Hot5	Easy Heat Low Heat
 Burn Time	 1 Hr. 2 Hr. 3 Hr.	4 Hours	 2 Hr. 4 Hr. 6 Hr.	2.5 Hours	2.5 Hours	2.5 Hours	6 Hours	6 Hours	5 Hours	 3 Hr. 5 Hr. 8 Hr.
 Heat Output	Highest	High	High	High	High	High	Medium	Medium	Medium	Lowest
 Quick to Temp	Quickest Approximately 18 minutes to boil (2 cans)	Quick Approximately 30 minutes to boil (2 cans)	Quick Approximately 35 minutes to boil (2 cans)	Quick Approximately 35 minutes to boil (2 cans)	Quick Approximately 36 minutes to boil (2 cans)	Quick Approximately 35 minutes to boil (2 cans)	N/A	N/A	N/A	N/A
 Can cool to touch	Yes	No	Yes	No	No	No	Yes	Yes	Yes	Yes
 Can Top /Wick	Pop Top Adjustable Wick	Pop Top XTreme Wick	Pop Top Adjustable Wick	Pop Top No Wick	Pop Top No Wick	Pop Top No Wick	Pop Top Stem Wick	Screw Top Stem Wick	Pop Top Stem Wick	Pop Top Adjustable Wick
 Shipping/ Storage Restrictions	None	None	None	Yes Hazardous Material	Yes Hazardous Material	Yes Hazardous Material	None	None	None	None

CHAFING FUEL REPLACEMENT GUIDE

Hollowick®	Sterno® Products	Dine-Aglow®	LeoLight	Blaze®
EZ2-1-3	-	-	ST200	-
EZ4-2-5	-	-	ST400	SB700 / LB700
EZ6-3-8	-	-	ST600	LB300 / BL301
XTRM4-24	10114 / 10115	DH444	X400	-
BUFF6-24	10102	DHSW006	-	LB300 / SB301
READY6	10110	-	C600	LB300 / SB301
HOT5-24	-	DH500	-	-
GHBLUE	20102	DHB1000	M200	BB100
GHPINK	20108	DHP5000	P200	BB100
GHGREEN	20108	DHG7000	P200	-



Butane Fuel and Accessories

Large Professional Chef's Torch

- High Performance Flame
- Heats Up To 2,642°F / 1450°C
- Push Button Automatic Ignition
- Equipped With Anti-Flare Device
- Burns Up To 3 Hours per 8 oz. Canister



CT200-SNGL
Large Torch
1 each
(Wt./each 1.0#)

CT200
Large Torch
12/case
(Wt./case 12.0#)

Small Professional Chef's Torch

- Heats Up To 2,012°F / 1100°C
- Push Button, Automatic Ignition
- Equipped With Anti-Flare Device
- Burns Up To 3 Hours per 8 oz. Canister



CT100-SNGL
Small Torch
1 each
(Wt./each 0.5#)

CT100
Small Torch
12/case
(Wt./case 6.0#)



Butane Fuel

- 8 oz. Canister (227 g.)
- UL Listed to include any Hollowick or BBQ1000 Series Stove
- Burns up to 2 hours at high heat and up to 4 hours at a simmer



BF008
Butane Fuel
12/case
(Wt./case 9.8#)
Contact Your Hollowick
Distributor for Fuel Pricing



Disposable Butane Lighter

Ideal For Lighting Candle Lamps, Wax Candles, Chafing Fuels, Butane Stoves

- Long reach
- Long lasting fuel supply
- Adjustable flame height
- Visible fuel supply
- Individually packaged
- Electric ignition
- Child resistant safety lock



BL30C-12
Butane Lighter
12/case
(Wt./case 2.82#)

BL30C-120
Butane Lighter
120/case
(Wt./case 26.0#)

Butane Stoves

in: 13½W x 11½D x 5H mm: 343W x 292D x 127H (Wt. 5.0#)

Hollowick professional portable butane stoves are ideal for catering, tableside cooking, buffet stations and tailgating.

Available in 15,000, 10,000 and 9,000 BTU/hr, Hollowick stoves are high quality and ETL approved. Stoves Feature:

- Wind Guard Ideal for Outdoor Catering
- Adjustable Heat Range, from Boil to Simmer
- Automatic Piezo Electronic Ignition System
- In Line Regulator with Pressure Sensing Shut Off
- High Impact Protective Carrying Case
- 10K & 15K stoves are equipped with a Heat Transfer Plate to maintain high heat output.



15,000 BTU Butane Stove

CMST-15K
15,000 BTU Portable Stove,
Hard shell carrying case included



9,000 BTU Butane Stove

10,000 BTU Butane Stove

CMST-10K
10,000 BTU Portable Stove,
Hard shell carrying case included



CMST-9K
9,000 BTU Portable Stove,
Hard shell carrying case included





Flameless Lighting



Rechargeable Candles. Flameless LED Pillar Candles and Accessories

Hollowick is proud to offer flameless candles that stand at the forefront of commercial LED lighting. Increasing demands by foodservice professionals for exceptional performance and lifelike ambiance drives innovation and enhancement to the Hollowick Flameless line. Our industry-leading flicker technology, battery life and warranties illustrate our firm commitment to improving customer service, product satisfaction and the overall guest experience.

What is LED (Light Emitting Diode) Technology?



LED Technology is tiny cool-burning light bulbs that fit easily into an electric circuit. Benefits of LED lights:

- Extremely Long Life - Last 20 times longer than incandescent bulbs
- Very Durable - Nearly impossible to break with vibration or shock
- Less Heat - Same light output as incandescent, but with a fraction of the heat
- Exceptional Energy Efficiency - Very low draw on batteries = long battery life



The Most Advanced Commercial LED Candle System Available




Nexis™ Charging Tray

- Advanced wireless technology
- Holds up to 40 candles – twice as many candles in the same space



Bevel top provides greater range of candlelight



True Candlelight LED Color

AUTO-ON Water-Resistant Nexis™ LED Candles

- More realistic flicker and authentic glow
- 26-hr run time in std. bright flicker mode 8-hr charge time
- Smaller size will fit in any Hollowick lamp

Magnetic Remote Control




On/Off

Standard/High Light

Flicker/Steady

Magnetic remote adheres to most metal surfaces and secures to top of Nexis tray

Candles glow **RED** when charging **GREEN** when fully charged



Swipe candles over The Nexis™ to change modes without the remote:

- On/Off
- Flicker/Flicker-High Light

- Magnetic candles & remote secure to tray
- Enhanced battery protection built into tray, power supply and candles
- “Quick-Click” connect Magnetic Cord and Power Supply
- Nexis easy-to-grab, realistic flexible flame tip design
- When you need more light, **High Light** mode shines 2X brighter



Ergonomic tray handle for one-hand-free table bussing

	Item#	Description	Shipping Weight lbs.	Dimensions L" x W" x H"	
	HFRX40 HFRX40/EU (w/Euro Power Supply) HFRX40/UK (w/UK Power Supply)	Nexis™ Rechargeable System 40 Candles Charging Tray Magnetic Cord and Power Supply Magnetic Remote Control	6.4		
Nexis Carries a One Year Limited Warranty					
	HFRXKIT HFRXKIT/EU (w/Euro Power Supply) HFRXKIT/UK (w/UK Power Supply)	Nexis Tray Kit Charging Tray Magnetic Cord & Power Supply Magnetic Remote Control	3.3		
	HFRX-CT	Nexis Charging Tray & Remote	2.62	13 x 13½ x 4⅓ mm: 330 x 343 x 110	
 10 Pack	HFRX10	Nexis Candles 10 ea. Candle heights include body and flame tip	2.0	1½ x 2⅓ mm: 38 x 59	
	HFRX	Nexis Candles 1 ea. Candle heights include body and flame tip	0.2	1½ x 2⅓ mm: 38 x 59	
	HFRX-MRC	Nexis Magnetic Remote Control	0.2	3½ x 1⅝ x ¼ mm: 89 x 38 x 6	
	HFRX-MP HFRX-MP/EU (w/Euro Power Supply) HFRX-MP/UK (w/UK Power Supply)	Nexis "Quick-Click" Magnetic Cord and Power Supply	0.7		



The Nexis system requires minimal storage space



State-of-the-art Li-ion battery – up to 1,500 charging cycles.
Safe to ship via air



The NEXIS™ will glow yellow, indicating that the Charging Tray has power.

Patents pending

Platinum+ Rechargeable LED Series

Two LED Color Choices

Amber



Candlelight



Rechargeable
NiMh Battery



Up to **18** hrs of light
from a 10 hr charge

One Year
Limited Warranty

1


Platinum+ series by Hollowick, leads the market of Nickel Metal Hydride (NiMh) battery commercial rechargeable systems. Designed specifically to withstand the rigors of foodservice use, the **Platinum+** system, available in Amber and Candlelight, is the smart choice for flameless table lighting.

Endorsed by



RoHS compliant

**Platinum+ Rechargeable
LED Candles will fit most
Hollowick lamps and holders**



- + **NEW** Easy-off charging pins
- + **NEW** More natural flicker
- + **NEW** Improved battery protection
- + **NEW** Candlelight color matches live flame



The new **Platinum+** charging tray features a **new, more durable receiving pin** that was redesigned to better withstand the rigors of commercial use. Four trays may be linked, allowing up to 48 candles to be charged per power supply. **Platinum+** series charging trays are designed to be wall-mounted, preserving valuable counter space.

Nickel Metal Hydride (NiMh) Batteries - A 10-hour charge produces up to 18 hours of run time. Charging Indicators, LEDs on the charging tray, indicate charging status for each candle: **GREEN** indicates fully charged; **RED** indicates charging.

No Overcharging or Battery Safety Worries –

Platinum+ is designed to charge each candle only as needed and to adequately keep each candle unit fresh and ready for use. Battery safeguards have been built into the tray and each candle.

Platinum+ is fully compatible with original Hollowick Platinum rechargeable LED systems and components

Platinum+

Platinum+		Item#	Description	Shipping Weight lbs.	Dimensions L" x W" x H"
	HFRP12-CL	Platinum+ – Set of 12 Candlelight Includes Power Supply, Charging Tray & 12 Candles	5.0	12 x 5½ x 2⅓ mm: 305 x 140 x 59	
	HFRP12-A replaces SCRP12-A	Platinum+ – Set of 12 Amber Includes Power Supply, Charging Tray & 12 Candles			
	HFRP24-CL	Platinum+ – Set of 24 Candlelight Includes Power Supply, 2 Charging Trays & 24 Candles	7.0	12 x 10 x 2⅓ mm: 305 x 254 x 59	
	HFRP24-A replaces SCRP24-A	Platinum+ – Set of 24 Amber Includes Power Supply, 2 Charging Trays & 24 Candles			
	HFRP36-CL	Platinum+ – Set of 36 Candlelight Includes Power Supply, 3 Charging Trays & 36 Candles	10.0	12 x 14⅔ x 2⅓ mm: 305 x 373 x 59	
	HFRP36-A replaces SCRP36-A	Platinum+ – Set of 36 Amber Includes Power Supply, 3 Charging Trays & 36 Candles			
	HFRP48-CL	Platinum+ – Set of 48 Candlelight Includes Power Supply, 4 Charging Trays & 48 Candles	12.0	12 x 19½ x 2⅓ mm: 305 x 495 x 59	
	HFRP48-A replaces SCRP48-A	Platinum+ – Set of 48 Amber Includes Power Supply, 4 Charging Trays & 48 Candles			
Platinum+ Parts & Accessories					
	HFRP-CL	Replacement Platinum+ Candles Candlelight (NiMh) 1 each	0.3	1½ x 2⅓ mm: 38 x 59	
	HFRP-A replaces SCRP-A	Replacement Platinum+ Candles Amber (NiMh) 1 each	0.3	1½ x 2⅓ mm: 38 x 59	
	HFRP-CT replaces SCRP-CT	Platinum+ Pin-Based Charging Tray 1 each	1.0	12 x 5½ x 1½ mm: 305 x 140 x 38	
	HFRP-ADP replaces SCRADP-M	Platinum+ Multi-Tray Power Supply 1 each	1.0	2 x 2 mm: 51 x 51	
	SSPL-I	Silicone Sleeve (Fits over Platinum+ & V12 Candles) 12/case	0.6	1½ x 2⅝ mm: 38 x 67	
	SDSX-1	Flameless System Docking Station (Compatible only w/Platinum+) 1 each	8.2	20½ x 9 x 9 mm: 521 x 229 x 229	

Candle heights include body and flame tip




Rechargeable LED Series

Amber 	USB Power Connection 	Rechargeable NiMH Battery Up to 14 hrs of light from a 10 hr charge	90-Day Limited Warranty 90
------------------	---------------------------------	--	---

The **V12** series leads the commercial value category of Nickel Metal Hydride (NiMH) battery rechargeable systems. Designed specifically to perform in demanding foodservice operations, the **V12** system is available in a naturally flickering Amber LED color and offers a convenient USB charging connection.

V12 Rechargeable LED Candles will fit most Hollowick lamps and holders



- ◆ Easy to use **push-button on/off candle bottom switch**
- ◆ Nickel Metal Hydride (NiMH) Batteries – A 10-hour charge produces up to 14 hours of run time
- ◆ Convenient USB Charging Supply will operate with any USB hub or power connection. Use any multi-port USB hub to charge multiple trays at one time.



	Item#	Description	Shipping Weight lbs.	Dimensions L" x W" x H"	
	HFRV12-A	V12 – Set of 12 Amber Candles – Includes USB Power Supply, Charging Tray & 12 Candles	4.0	13½ x 6⅝ x 5 mm: 343 x 168 x 127	
Parts and Accessories					
	HFRV-A	V12 Replacement Candles Amber (NiMH)	0.3	1½ x 2⅛ mm: 38 x 54	
	HFRV-CT	V12 Pin-Based Charging Tray	1.0	12 x 5½ x 1½ mm: 305 x 140 x 38	
	HFRV-USB	V12 USB Power Supply	0.5		

Rechargeable Systems Comparison

Feature	nexis™	Platinum+	V12™
LED Color	Candlelight	Candlelight & Amber	Amber
Light Mode	Flicker & Steady	Flicker Only	Flicker Only
Charging Tray Style	Wireless Charging	Offset Candle Pin	Center Candle Pin
Tray Connection	No (40 candles per tray)	Up to per cord (12 candles per tray)	No (12 candles per tray)
Power Supply	Quick-Click Magnetic	Standard Pin	Standard Pin w/USB
Remote Control	Magnetic Remote Control	No	No
Warranty	1-Year Limited	1-Year Limited	90-Day Limited
Water Resistance	Yes – IP44 Certified	No	No
Brightness	Standard & High Light	Standard Only	Standard Only
Candle Size	Tea Light (Compare to HD8)	Votive (Compare to HD15)	Votive (Compare to HD15)
Auto-On Candles	Yes	No	No
Battery Type	Li-Ion	NiMH	NiMh
Battery Protection	Candle & Tray	Candle & Tray	Candle Only
<u>Run Time</u> <u>Charge Time</u>	Flicker Std. Bright: 26hr Run Flicker High Light: 16hr Run Steady Std. Bright: 24hr Run Steady High Light: 14hr Run 8hr Charge	<u>18hr Run</u> <u>10hr Charge</u>	<u>14hr Run</u> <u>10hr Charge</u>

Battery LED Tealight



- Realistic flame tip design
- Authentic Candlelight LED
- 80+ hours run time
- Shelf-ready packaging



HFBTL6-CL
Replaces SC3684A-C6

LED Battery Powered Tealight 6-Pack

in: 1½"H x 1½"D
mm: 38H x 38Dia.
(Wt. .5#)

Real Wax LED Flameless Pillar Candles




3-Stage Timer



6 – 8 – 10
Hour

C Battery



2 Alkaline C Batteries
(Not Included)

600+
hours

New attractive
flame-tip design



Plastic feet on bottom to
help keep wax off table.



Bottom Switch manual
on/off and 8-hour default

- Look of a real burning wax candle without the melted wax mess or replacement costs
- Real wax, unscented, smooth finish, ivory color
- Bottom switch manual on/off and 8 hour default timer
- Remote operates all candles – one remote control is included with each case
- Remote-operated 3-stage timer: 6, 8 or 10 hour duration – automatic 24 hour cycle
- RoHS compliant

LED Wax Pillars	Item #	Description	Shipping Weight lbs.	Items per Case	
	HFWP34RT-A	3" Dia. x 4.5" H Ivory, LED wax pillar w/magnetic remote (Use with 2-C batteries) (Repl. for WP34ITR)	3	4/case	
	HFWP36RT-A	3" Dia. x 6" H Ivory, LED Wax Pillar w/Magnetic Remote (Use with 2-C batteries) (Repl. for WP34ITR)	4	4/case	
	HFWP38RT-A	3" Dia. x 8" H Ivory, LED Wax Pillar w/Magnetic Remote (Use with 2-C batteries) (Repl. for WP34ITR)	5	4/case	
	HFWP-MRC	Wax Pillar Magnetic Remote Control (Repl. for SC_REMOTE IR)	.24	1 each	

Index

Item Number	Page
LAMPS	
28C	51
28S	51
33C	50, 51
33G	51
35BL	51
35C	50, 51
35G	51
35R	51
35S	51
35SC	51
36AL	51
36C	50, 51
36SL	51
38C	51
38SE	51
46AL	50, 51
46C	51
48C	39, 47, 48 49, 51
48SC	48, 49, 51
64C	41, 47
64SC	41
67SC	21
67SCA	21
67SCI	21
67SSG	21
73C	39
73SC	39
200	41
220	41
230	41
240	47
272BSS	52
272BZ	52
277AB	52
277BZ	52

Item Number	Page
277PC	52
295I	53
296B	53
296BG	53
296I	53
300	39
330	39
393CR	52, 53
393I	53
393SS	53
395CR	53
395I	52, 53
395SS	52, 53
395SV	53
397CR	53
397I	52, 53
397LN	52, 53
397SS	53
430	39
450	39
502	50
602	50
702	50
800BZ	49
800PC	49
912A	28
936A	53
1200A	28
1502C	37
1502CJ	37
1502R	37
1502SC	37
1511A	42
1511AJ	42
1511C	42
1511CJ	42
1511SC	42

Item Number	Page
1533A	42
1533AJ	42
1533C	42
1533CJ	42
1533R	42
1533RJ	42
1533SC	42
1600AG	19
1600C	19
1600SDBL	19
1600SL	19
1601PC	19
1602	19
1606C	19
1608C	19
1610AG	19
1610C	19
1610SDBL	19
1610SL	19
2017	41
2117	41
2800VM	47
2817VM	47
2902	50
4100	29
4150	28
4160	29
4708H	37
4845	33, 53
5100	20
5119C	N/A
5119CI	16
5119G	16
5119R	16
5119S	16
5119SC	16
5119SDB	16

Index con't

Item Number	Page	Item Number	Page	Item Number	Page
5119STC	16	6109AG	23	6505CJ	31
5125C	44	6109AJ	23	6505SDB	31
5125DA	44	6109C	23	6505SL	31
5140A	15	6109CJ	23	6505SSG	31
5140AJ	15	6109F	23	6505STC	31
5140C	15	6109FA	23	6588IBK	31
5140CBL	15	6147C	N/A	6588IR	31
5140CBLJ	15	6147CHJ	26	6701A	17
5140CJ	15	6147CI	26	6701AQ	17
5140F	15	6147RJ	26	6701C	17
5140R	15	6147SC	26	6701SC	17
5140RJ	15	6147SJ	26	6806BK	26
5151A	20	6179F	23	6806W	26
5151C	20	6179FA	23	6817SBK	26
5160A	15	6201A	20	6817SC	26
5160C	15	6207D	20	6817SCA	26
5176C	N/A	6207ST	20	6955C	N/A
5176CI	16	6256A	35	6955CJ	24
5176G	16	6301G	35	6955G	24
5176R	16	6301RG	35	6955S	24
5176S	16	6351G	35	6955SG	24
5176SC	16	6351RG	35	6955SL	24
5176SDB	16	6404C	N/A	6955SM	24
5176STC	16	6404AG	25	8208EA	45
5180C	31	6404CI	25	8217EA	45
5180CML	31	6404G	25	8236EA	45
5180SC	31	6404MA	25	42517C	44
5188C	31	6404R	25	42517DA	44
5188CML	31	6404RG	25	43017BP	35
5188SC	31	6404SDB	25	43017G	35
5228A	20	6404SG	25	43017RG	35
5228C	20	6404SL	25	44017CML	33
5690C	20	6404SSG	25	44017DB	33
5690C+SC	20	6404STC	25	44017SC	33
6005	32	6422G	25	44017SCA	33
6017	32	6505C	N/A	45017BR	37
6109A	23	6505AG	31	46017A	35

Item Number	Page
46318A	35
47017EXO	37
47017H	37
48000C	48
48000C-IRIS	48
48000C-LIL	48
48000F	48
48017C	48
48017F	48
48025C	44
48025DA	44
DQD-PC	23
DRB31	48
OD29	21
SCH400	N/A
SCH400SL	20
SWRQD39	21, 23
WRBD39	33
WRLF39	33, 37
WRQD39	23

GALA FUEL CELL COVERS

C-17/26PC	10, 39
C-17/26W	10, 39
C-36/50PC	10, 48, 49
C-36/50W	10, 33

DISPOSABLE FUEL CELLS

HD8-180	6
HD8-24M	8
HD8-90	6
HD10	6
HD12-144	6
HD12-72	6
HD12TALL	6

Item Number	Page
HD15	6
HD17	6
HD17-12M	8
HD17LWC-48	9
HD18	7
HD18-72	7
HD23LWC-24	9
HD26	6
HD2618HL	7
HD26-72	6
HD29	7
HD30	6
HD36	6
HD36+SN	6
HD3622HL	7
HD37	7
HD42	6
HD4226HL	7
HD50	6
HD50-36	6

REFILLABLE FUEL

HFO-GAL	9
HFO-QT	9

REPLACEMENT PARTS

902.5	9
963+SN	9
993+SN	9

SELECT WAX

BDAS-144PKS	57
CC4.37W-200	57
CC5.75W-480	57
CL530-48	58
CL530F-48	58

Item Number	Page
CL830-48	58
FC2W-144	58
FC3W-72	58
FWV10W-288	57
FWV15W-144	57
FWV15WS-144	57
FWV8W-288	57
KG60C-12	58
KG60F-12	58
MTL12W-240	57
P2.5W-36	56
P3X3CP-12	56
P3X3I-12	56
P3X3W-12	56
P3X6CP-12	56
P3X6I-12	56
P3X6W-12	56
P3X9I-12	56
P3X9W-12	56
TL5W-500	57
TL5WPL-500	57
TL7W-400	57
TP10I-12DZ	57
TP10R-12DZ	57
TP10W-12DZ	57
TP12BL-12DZ	57
TP12GR-12DZ	57
TP12I-12DZ	57
TP12R-12DZ	57
TP12W-12DZ	57
TP15W-12DZ	57
TP8W-12DZ	57

Index con't

Item Number	Page
CHAFING FUELS	
BUFF6-24	63
EZ 2-1-3	60, 61
EZ 4-2-5	60, 61
EZ 6-3-8	60, 61
EZ638-6PK	61
GHBUE	65
GHGREEN	65
GHPINK	65
HOT5-24	64
READY6	63
XTRM4-24	62

BUTAN FUELS AND ACCESSORIES

BF008	67
BL30C-12	9, 67
BL30C-120	9, 67
CMST-10K	68
CMST-15K	68
CMST-9K	68

Item Number	Page
CT100	67
CT100-SNGL	67
CT200	67
CT200-SNGL	67

FLAMELESS LIGHTING

HFBTL6-CL	75
HFRP12-A	72, 73
HFRP12-CL	72, 73
HFRP24-A	72, 73
HFRP24-CL	72, 73
HFRP36-A	72, 73
HFRP36-CL	72, 73
HFRP48-A	72, 73
HFRP48-CL	72, 73
HFRP-A	72, 73
HFRP-ADP	72, 73
HFRP-CL	72, 73
HFRPCT	72, 73
HFRV12-A	74
HFRV-A	74

Item Number	Page
HFRV-CT	74
HFRV-USB	74
HFRX	70, 71
HFRX10	70, 71
HFRX40	70, 71
HFRX40/EU	70, 71
HFRX40/UK	70, 71
HFRX-CT	70, 71
HFRXKIT	70, 71
HFRXKIT/EU	70, 71
HFRXKIT/UK	70, 71
HFRX-MP	70, 71
HFRX-MP/EU	70, 71
HFRX-MP/UK	70, 71
HFRX-MRC	70, 71
HFWP34RT-A	76
HFWP36RT-A	76
HFWP38RT-A	76
HFWP-MRC	76
SDSX-1	72, 73
SSPL-I	72, 73

Use & Care of Hollowick Lamps



GLOBES

Keep Hollowick globes sparkling clean by regularly handwashing them with warm water and mild detergent.

NOTE: Commercial dishwashing detergents may spot or dull fired-on colors.

BASES/LAMPS

Hollowick lamp bases are coated with finishes that protect and enhance the beauty of the lamps. Metal and wood bases should be cleaned with a spray furniture wax. This leaves a protective shine and allows for easy cleaning in the future. Resin and glass bases should be cleaned with a damp cloth and mild detergent.

NOTE: DO NOT PUT ANY HOLLOWICK LAMP, BASE OR GLOBE IN A DISHWASHER.

Discontinued Items

The items listed below are discontinued from our last catalog. They may be available in limited quantities. Please contact Hollowick for more information.

Lamp Items

046PC+B
1204MP
1400A
1400CSQ0
1404MP
14070R
1501AQ
1501C
1501R
1501RJ
1502RJ
296I+GR
393FL
393R
393SW
395FL
395R
395SW
397FL
397R
397SW
44017GR
48000N
487C
487SC
48R
5151AQ
6106CI
6106F
6203M
6477DBI

6477LI
6477SGI
6477TCI
6697C
71SC
78C
78SC
933A
946SC
GEM29
NC29
PF31
SAT29
ZEN-DEM
ZEN-DEM2
ZEN-GSL
ZEN-GSL2
ZEN-GTR
ZEN-GTR2

Flameless

Lighting Items

Evolution Series:

EVOADP-UL
EVO-CT
EVO-RC
EVOX/RC-CL
EVOX/RC12-CL
EVOX/RC24-CL
EVOX/RC36-CL
EVOX/RC48-CL
EVOX12-CL
EVOX24-CL

EVOX36-CL
EVOX48-CL
EVOG12-CL
EVOG24-CL
EVOG36-CL
EVOG48-CL
EVOG-CL

Platinum Series:

SCR12-A
SCR12-WW
SCR24-A
SCR24-WW
SCR36-A
SCR36-WW
SCR48-A
SCR48-WW
SCR-A
SCR-WW
SCR-CT
SCRADP-M

Battery Powered LED:

WP34ITR
WP36ITR
WP38ITR
WP46ITR
WP48ITR
SC-REMOTE-IR
OP35ITR
OP37ITR
OP39ITR
OPSC-RC
SC3684A-C6

Luminaries

L12M
L12PP
L12W
L3M
L3P
L3W
L5M
L5PP
L5W
L6M
L6PP
L6W
L8M
L8PP
L8W
L9M
L9PP
L9W

Tiki Item

TK08047

Butane Items

BL20C-144
BL20C-24

Replacement Parts

91-25

A Note About Breakage Due To Thermal Shock

Breakage and cracking are commonly experienced when traditional wax tealights and votives are used in glass table lamps; especially with thicker glass lamps and globes.

For this reason, **Hollowick Lamps are not recommended for use with wax tealights and votives.**


The use of the proper Hollowick fuel cell will resolve this issue.



Satin Brass
 Globe → 46AL
 Base → 502

Base – in: 2H x 3%Dia.
 mm: 51H x 92Dia. (Wt. .8#)

Globe – in: 3½H x 4Dia.
 mm: 79H x 102Dia. (Wt. 0.4#)



ORDERING INFORMATION

Lamp bases and globes are listed and priced separately and sold by the each. Please order by item number and description.


DIMENSIONS

Height: The height listed (shown in inches and millimeters) for a globe is the exposed visible height with the exception of the Cylinder globes. Add the listed globe height to the listed base height to determine total height of the complete lamp.

Diameter: Largest outside diameter.

WEIGHT

All weights are approximate shipping weights per piece. # = pounds.



FUEL CELLS

The height listed for disposable and refillable fuel cells includes the burner assembly.

Cocktail II™

Fuel Ordering Info pg 6

Recommended



HD36

FUEL OPTIONS

The recommended fuel cell for a lamp is shown on the lamp page.



Get It Quick From Hollowick

It's our policy to stock what we sell, and we typically ship to USA destinations within 24-48 hours of receiving an order from our authorized dealers.



P.O. Box 305, Manlius, NY 13104, USA
(315) 682-2163
Fax: (315) 682-6948
(800) 367-3015
e-mail: info@hollowick.com

hollowick.com

©Copyright 2018 Hollowick, Inc.
Effective April 1, 2018